
T	Q	т	m	0







LAYOUT SHOWN AS

Keying Shown as example

F

CHARACTERISTICS

SHELL SIZE : 11

PLATING : M = Nickel

Н

ω

-Standard : Based on MIL-DTL-38999 Series III

\square	– -Shell Material	: Composite	Р	3.
			РР	4.
	-Shell Plating	: Nickel	R1	1
	-Insulator	: Thermoplastic	R2	
	-Contacts	: Copper Alloy	S	26
	-Seals & Grommet	: Silicon Elastomer	V' W'	19.5 2.
2	-Contact Plating	: Gold over copper Alloy 0.8µm minimum	Z'	3
	-Durability	: 500 Mating cycles	VV THREAD	M1
	-Delivered with Souria	u contacts and Accessories		
	T			
	-Temperature Range	: -65°C to +200°C		
	-Salt Spray	: 2000 hours		
	-Mass	: 11.6 g ± 10%		
	BASIC SERIES:	8D 0 - 11 M 22 S E		
-				
	SHELL TYPE : Square			
	CONTACT TYPE : Sta			

G

P 3.25±0.2 PP 4.93±0.2 R1 20.62 R2 18.26 S 26.2±0.3 V' 19.5+1.4/-0 W' 2.1/3.65 Z' 32 Max	Dim	Nominal
R1 20.62 R2 18.26 S 26.2±0.3 V' 19.5+1.4/-0 W' 2.1/3.65	Р	3.25±0.2
R2 18.26 S 26.2±0.3 V' 19.5+1.4/-0 W' 2.1/3.65	PP	4.93±0.2
S 26.2±0.3 V' 19.5+1.4/-0 W' 2.1/3.65	R1	20.62
V' 19.5+1.4/-0 W' 2.1/3.65	R2	18.26
W' 2.1/3.65	S	26.2±0.3
	V'	19.5+1.4/-0
Z' 32 Max	W'	2.1/3.65
	Ζ'	32 Max
VV THREAD M15x1-6g	VV THREAD	M15x1-6g


ORIENTATION : E

CONTACT LAYOUT : 11-22

CONTACT TYPE : SOCKET(500 Matings)

Е

SOURIAU shall not be liable for due to a use of the Products the Specifications issued by either (professional recomment



	Φ		A		
					4
AS EXA	AMPLE				3
s which er of t indation untry FR	non-conformit ch does not co he Parties or b on, technical n Jurisd	mply with by a third part			2
		CUSTOME	R DRAWING	MOD N°	· ·
site Receptacle 8D series					
ar		8	PROJECT 59		1
J.COM This document is the property of SOURIAU it must not be reproduced or communicated without permission					
	DRG N° 22SE-C			SHEET 1/2	
	В		А		I

		Contact Layout				Panel Cut
4	(22*			Σ	SQUARE FLANGE RECEPTACLE (TYPE 0) REAR MOUNTING
	Ctc A B	4#22D 11-22 X Y 1.905 1.905 1.905 -1.905			¥	ØT.
ى ت	C D	-1.905 -1.905 -1.905 1.905				Dim ØA ØAA R1 ØT
	-					SOURIAU shall not be liable for due to a use of the Products the Specifications issued by either (professional recommend
2						PN: 8D011
					A 07-10-2 ISS DAT Designed By:	016 First Release
-					TITLE SCALE NA	Composi General linear Tolerances:
					FORMAT	WWW.SOURIAU SOURIA
	Н	G	F	E	A3	8D0111
				N N	V	

Т

ш

т

G

0

