

Ŧ	<b></b>	m		
			Ŭ	







## CHARACTERISTICS

ω

 $\sim$ 

-Mass

BASIC SERIES:

SHELL SIZE: 11

SHELL TYPE : Square Flange Receptacle

PLATING : Z = Black Zinc Nickel

Н

CONTACT TYPE : Standard Crimp Contact

-Standard : Based on MIL-DTL-38999 Series III

ł	-Shell Material	: Aluminium			
	-Shell Plating	: Black Zinc Nickel			
	-Insulator	: Thermoplastic			
	-Contacts	: Copper Alloy			
	-Seals & Grommet	: Silicon Elastomer			
	-Contact Plating	: Gold over copper Alloy 0.8µm minimum			
	-Durability	: 500 Mating cycles			
	-Delivered without Souriau contacts				
	-Temperature Range	-65℃ to +175℃			
	-Salt Spray	: 500 hours			

: 13.35 g ± 10%

8D 0

G

11

-

Connector	r dimension
Dim	Nominal
Р	3.25±0.2
PP	4.93±0.2
R1	20.62
R2	18.26
S	26.2±0.3
V	20.83+0/-1.25
W	2.1/2.5
Z	31.5 Max
VV THREAD	M15x1-6g

т п		0	σ	A	_
		Layout show	NAS EXAMPLE		4
Connector dimension           Dim         Nominal           P         3.25±0.2           PP         4.93±0.2           R1         20.62           R2         18.26           S         26.2±0.3           V         20.83+0/-1.25           W         2.1/2.5           Z         31.5 Max           VV THREAD         M15x1-6g		due to a use of the Produ the Specifications issued by e (professional recomm	nendation, technical notice.) Country Jurisdiction	vith ird party	2
Z 01 S E L	A 08-10-2016 F ISS DATE Designed By: TITLE SCALE NA	irst Release Latest modification - by Date: Alumi	nium Receptacle 8D	MOD N° TOMER DRAWING ) series PRDS / PROJECT 859	
Delivered W/O Contact       ORIENTATION :       CONTACT TYPE : SOCKET(500 Matings       CONTACT LAYOUT : 11-0	SOURIAU		AU.COM	This document is the property of SOURIAU it must not be reproduced or communicated without permission SHEET 1/2	

	Ξ	۵	<b>п</b>	m		0	
		Contact Layout				Panel Cut	tout
4		01			A	SQUARE FLANGE RECEPTACLE (TYPE 0) REAR MOUNTING	
	Ctc	1#12 11-01 X Y	]		~ _ ¥		
ى ن	A	0 0				Dim ØA ØAA R1 ØT	
						SOURIAU shall not be liable for due to a use of the Products the Specifications issued by either	whi r of
2						(professional recommend	ntry R
					A 08-10-20 ISS DATE Designed By:	16 First Release Latest modification - by Date:	
-					SCALE NA	Aluminiu General linear Tolerances: ±	
			_		FORMAT A3	SOURIA 8D0112	U
	Н	G	l F	E	D	C	

