ſ	ד <u>ס</u> ד	J	0	B	
4					4
ω	Keying Shown as example		LAYOUT SHOWN AS EXAMPL	E	3
	CHARACTERISTICS Connector dimension				
	-Standard : Based on MIL-DTL-38999 Series III Dim Nominal				
N	-Shell Material : Aluminium -Shell Plating : Olive drab Cadmium -Shell Plating : Olive drab Cadmium -Insulator : Thermoplastic -Contacts : Copper Alloy -Seals & Grommet : Silicon Elastomer -Contact Plating : Gold over copper Alloy 0.8µm minimum		SOURIAU shall not be liable for any non- due to a use of the Products which do the Specifications issued by either of the Pa (professional recommendation, te Country FR	es not comply with arties or by a third party	2
	-Durability : 500 Mating cycles -Delivered with Souriau contacts and Accessories		PN: 8D511W22AE		
	-Temperature Range -65°C to +175°C	A 17-10-2016	First Release		
	-Salt Spray : 500 hours -Mass : 14.47 g ± 10%	ISS DATE	Latest modification - by	MOD N	N°
		Designed By:	Date:	CUSTOMER DRAWING	
		TITLE	Aluminium	Plug 8D series	
_	BASIC SERIES: 8D 5 - 11 W 22 A E SHELL TYPE : Plug with RFI Shielding - - 11 W 22 A E	SCALE NA	General linear Tolerances:	NPRDS / PROJECT 859	1
	CONTACT TYPE : Standard Crimp Contact SHELL SIZE : 11 CONTACT TYPE : PIN(500 Matings)	SOURIAU		This document is the property of SOURIAU it must not be reproduced or communicated without permission	
	PLATING : W = Olive drab Cadmium CONTACT LAYOUT : 11-22	FORMAT	SOURIAU DR		r
I		A3	8D511W22A		
				AT -1 =/ =	

	<u>т</u>	G	г П	m	D	0	
4	(Contact Layout 22*					
		4#22D					
 ω	Ctc A B C D	11-22 X Y 1.905 1.905 1.905 -1.905 -1.905 -1.905 -1.905 1.905					
	-					SOURIAU shall not be lial due to a use of the Pro the Specifications issued by (professional reco	oducts wh y either o
0						PN: 8D	Countr FR 0511V
					A 17-10-20 ISS DATE Designed By: TITLE	16 First Release Latest modification - by Date:	Alumin
-					SCALE NA SOURIAI		ral linear rances: ± RIAU.C
						SOU	

Η

G

F

A3

D

С

 $\backslash /$

Е

						4
						3
ot be liable for any non-conformity or damage f the Products which does not comply with ssued by either of the Parties or by a third party nal recommendation, technical notice.) Country Jurisdiction & Control List FR Not Listed J: 8D511W22AE						2
- by		CUST	OMER DRAW		MOD N°	
Aluminium Plug 8D series						
General linear Tolerances: ±	NPRDS / PROJECT 859				1	
SOURIAU.COM it must not be reproduced or communicated without permission						
				SHEET 2/2	-	
	В			А		

A

ω