
			<b>O</b> (			
	ØS					
			LAYOUT SHOWN AS EXAMPL			
	Keying Shown as example					
CHARACTERISTICS	Consistent discussion	7				
-Standard : Based on MIL-DTL-38999 Series III	Connector dimension Dim Nominal	4				
-Shell Material : Composite	ØS 29.4 Max		SOURIALL shall not be liable for any non-	onformity or damage		
-Shell Plating : Nickel	Z' 31.5 Max VV THREAD M18x1-6g	-	SOURIAU shall not be liable for any non-conformity or damage due to a use of the Products which does not comply with			
-Insulator : Thermoplastic		<b>-</b>	the Specifications issued by either of the Pa			
-Contacts : Copper Alloy			(professional recommendation, te	nnical notice.)		
-Seals & Grommet : Silicon Elastomer			Country     Jurisdiction & Control List       FR     Not Listed			
-Contact Plating : Gold over copper Alloy 0.8μm minimum		Γ	FR   Not Listed			
-Durability : 500 Mating cycles			PN: 8D513M04SD			
-Delivered with Souriau contacts and Accessories			111.0031510104			
-Temperature Range -65°C to +200°C		A 18-10-201	6 First Release			
-Salt Spray : 2000 hours		ISS DATE	Latest modification - by		MOD N°	
Mass : 20.9 g ± 10%		Designed By:	Date:	CUSTOMER DRAWING		
		TITLE	TITLE Composite Plug 8D series			
BASIC SERIES: 8D 5 - 13	M 04 S D	SCALE	General linear	NPRDS / PROJECT		
	M 04 S D		-{	859		
SHELL TYPE : Plug with RFI Shielding		NA		This document is the proper	rty of	
CONTACT TYPE : Standard Crimp Contact		SOURIAU WWW.SOURIAU.COM SOURIAU it must not be reproduced or				
SHELL SIZE : 13	CONTACT TYPE : SOCKET(			communicated without perm		
		FORMAT		¬ NI <sup>0</sup>	SHEET	
PLATING : M = Nickel	CONTACT LA	10UT : 13-04 FORMAT A3	SOURIAU DRO 8D513M04S		1/2	

		G	п п	m		0
		Contact Layout				
4		$-x \begin{pmatrix} & & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & &$				
	posi	Contacts (Insert arrangement 13-4)           Location intact         Location (mm)           A         +.000 (0.00)         +.150 (3.81)           B         +.146 (3.71)         +.035 (0.89)           C         +.000 (0.00)        083 (2.11)           D        146 (3.71)         +.035 (0.89)           Number of contacts         Size contacts         Service rating         Contact location           4         16         I         All         MS20051-4				
ى						
						SOURIAU shall not be liable for an due to a use of the Products wh the Specifications issued by either o (professional recommendat
2						Countr FR
						PN: 8D513N
						116 First Release
					ISS DATE Designed By:	Latest modification - by Date:
					TITLE	Compo
_					SCALE	General linear Tolerances:
					SOURIA	
					FORMAT	SOURIAU
			F	F	A3	8D513M
	Н	G	l F	E	D	C



 $\triangleright$ 

σ