
	m		0		Þ
Z'					
CHARACTERISTICS	ng Shown as example		LAYOUT SHOWN A	AS EXAMPLE	
<ul> <li>-Standard : Based on MIL-DTL-38999 Series III</li> <li>-Shell Material : Composite</li> <li>-Shell Plating : Nickel</li> <li>-Insulator : Thermoplastic</li> <li>-Contacts : Copper Alloy</li> <li>-Seals &amp; Grommet : Silicon Elastomer</li> <li>-Contact Plating : Gold over copper Alloy 0.8µm minimum</li> </ul>	DimNominalØS44.9 MaxZ'31.5 MaxVV THREADM34x1-6g		SOURIAU shall not be liable for any non-conformity or damage due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party (professional recommendation, technical notice.) <u>Country</u> Jurisdiction & Control List <u>FR</u> Not Listed <b>PN: 8D523M06SC</b> A       06-10-2016		
-Durability: 500 Mating cycles-Delivered with Souriau contacts and Accessories-Temperature Range: -65°C to +200°C		A 06-10-2016			
-Salt Spray : 2000 hours		ISS DATE Designed By:	Latest modification - by Date:	CUSTOM	MOD N ER DRAWING
		TITLE Composite Plug 8D series			
BASIC SERIES:     8D     5     -     23     M     06     S       SHELL TYPE     : Plug with RFI Shielding     -     23     M     06     S	C	SCALE NA	General line Tolerances	:	/ PROJECT <b>859</b>
CONTACT TYPE : Standard Crimp Contact SHELL SIZE : 23	ORIENTATION : C CONTACT TYPE : SOCKET(500 Matings)	SOURIAU	SOURIAU         This document is the property of SOURIAU           it must not be reproduced or communicated without permission		
PLATING : M = Nickel	CONTACT LAYOUT : 23-06	FORMAT A3		AU DRG N° M06SC-C	SHEET 1/2
			00523		

ſ	т	۵	н П	т		0
		Contact Layout				
		06				
4						
		6#8 Concentric Twinax				
		Service M				
		23-06	]			
	Ctc	X Y				
	A	0 9.24				
	B	8.81 2.87 5.43 -7.49				
ယ	D	-5.43 -7.49				
	E	-8.81 2.87				
	F	0 0				
	-					SOURIAU shall not be liable for ar
						due to a use of the Products w
						the Specifications issued by either o (professional recommenda
N						Count FR
						PN: 8D5231
					A 06-10-20	116 First Release
					ISS DATE	Latest modification - by
					Designed By:	Date:
					TITLE	Compo
					SCALE	
						General linear Tolerances:
<u>→</u>					NA	
					SOURIA	U WWW.SOURIAU.C
					FORMAT	
					A3	SOURIAU
l		<b>^</b>	F		1	8D523N
	Н	G	l F	E	D	C



 $\triangleright$ 

σ