	T	Q	н т	m	D		0
4 3	Reference of the second	>		S C C C C C C C C C C C C C C C C C C C			
			Keving Shov	vn as example			
	CHARACTERISTICS				-		
	-Standard : Based on MIL-DTL-38	999 Series III		Connector dimension Dim Nominal	_		
2	-Contact Plating : Gold ov	ed plastic Alloy Elastomer er copper Alloy 0.8μm mini ting cycles	mum	A 34.9±0.3 B 19.07+0.1/-0.15 R 32.5Max S 31.8±0.4 W 2.2+0.9/-0.1 VV THREAD M15x1-6g			SOURIAU shal due to a us the Specificatio (profes
	-Temperature Range <u>-</u> -65°C to					20.00.2016	
	-Salt Spray : 500 hou	irs			A		First Release
					ISS Desi	DATE gned By:	Latest modifica Date
						TITLE	
	BASIC SERIES:	8D 7 - 11	К 02 В Е			CALE	$= \bigcirc$
1	SHELL TYPE : Jam nut Receptacle					NA	$\neg \Psi$
	CONTACT TYPE : Standard Crim	p Contact				DURIAU	WWV
	SHELL SIZE : 11		┘ │ └───	CONTACT TYPE : SOCKET(5		RMAT	
	PLATING : K = Passivated			CONTACT LAY	1001.11-02	43	
	Н	G	F	E	/ D		С

 $\mathbf{\mathbf{n}}$

	Ψ	A		
				4
LAYOUT SHOWN AS EXAMPL	E			3
all not be liable for any non-conformity or damage use of the Products which does not comply with ons issued by either of the Parties or by a third party essional recommendation, technical notice.) <u>Country</u> Jurisdiction & Control List FR Not Listed PN: 8D711K02BE				
ation - by te: Stainless Steel Ro		omer drawing D series	MOD N°	
General linear Tolerances: ± W.SOURIAU.COM	Tł	RDS / PROJECT 859 his document is the prop SOURIAU it must not be reproduc mmunicated without pe	ced or	1
SOURIAU DR 8D711K02B		A	SHEET 1/2	

Г	I G	т		
4	Contact Layout $ \begin{array}{c} $		Panel cutout JAM NUT RECEPTACLE (TYPE 7)	4
ω	Contact position Contact location ID Mmm A +.095 (2.41) +.000 (.00) B 095 (2.41) +.000 (.00) Shell Arrangement Number of contacts Size Shell Arrangement Number of contacts Contacts Contact rating 11 -2 2 16 I All		Dim Nominal B 19.59+0/-0.25 ØC 20.96+0.25/-0	3
2			SOURIAU shall not be liable for any non-conformity or damage due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party (professional recommendation, technical notice.) Country Jurisdiction & Control List FR Not Listed	2
				IOD N°
			Designed By: Date: CUSTOMER DRAWING TITLE Stainless Steel Receptacle 8D series SCALE General linear NPRDS / PROJECT NA Tolerances: 859	
			INA Image: Source SOURIAU WWW.SOURIAU.COM FORMAT SOURIAU DRG N°	on SHEET
	H G	FE	A3 8D711K02BE-C 2 D C B A	2/2