ſ	I	Q	н т	т	D	0
4				S		
			Keying Shown a	as example		
N	-Shell Plating: Nicket-Insulator: Therm-Contacts: Coppet-Seals & Grommet: Silicon-Contact Plating: Gold and and and and and and and and and an	ess Steel	num	Connector dimension Dim Nominal A 34.9±0.3 B 19.07+0.1/-0.15 R 32.5Max S 31.8±0.4 W 2.2+0.9/-0.1 VV THREAD M15x1-6g		SOURIAU shall due to a use the Specification (profess
	-Delivered with Souriau contact -Temperature Range <u>:</u> -65°C -Salt Spray : 500 h	C to +200°C			A 30-09-2 ISS DAT Designed By: TITLE	2016 First Release E Latest modificat Date
_	BASIC SERIES: SHELL TYPE : Jam nut Recepta CONTACT TYPE : Standard Cr SHELL SIZE : 11		S 22 B B	ORIE CONTACT TYPE : SOCKET(5	SCALE NA INTATION : B SOURIA	
	PLATING : S = Nickel			CONTACT LAY	/OUT : 11-22	
					A3	
	H	G	F F	E	D	С

	Φ		А			
					4	
LAYOUT SHOWN AS EXAM	VIPLE				3	
all not be liable for any non-conformity or damage use of the Products which does not comply with ons issued by either of the Parties or by a third party essional recommendation, technical notice.) <u>Country</u> Jurisdiction & Control List FR Not Listed PN: 8D711S22BB						
ation - by MOD N° te: CUSTOMER DRAWING						
Stainless Steel Receptacle 8D series General linear NPRDS / PROJECT Tolerances: 859 ± This document is the property of						
SOURIAU.COM SOURIAU it must not be reproduced or communicated without permission SOURIAU DRG N° SHEET 8D711S22BB-C 1/2						
BA						

ſ	т	۵		m		C	σ	A	
4		Contact Layout 22*		Panel cutout JAM NUT RECEPTACLE (TYPE 7)					4
ω	Ctc A B C D	11-22 X Y 1.905 1.905 1.905 -1.905 -1.905 -1.905 -1.905 1.905				Dim Nominal B 19.59+0/-0.2 ØC 20.96+0.25/			3
2						due to a use of the Proc the Specifications issued by (professional recom		with hird party	2
					A 30-09-2016 ISS DATE Designed By: TITLE	First Release Latest modification - by Date:		MOI STOMER DRAWING 8D series	D N°
_					SCALE NA SOURIAU FORMAT		AU.COM	IPRDS / PROJECT 859 This document is the property of SOURIAU it must not be reproduced or communicated without permission SHE	
	Н	G	F	E	A3 D		/11S22BB-C B	2/ A	2