-	T Q T	m	D	0	B	A	
4	R 22.6 Max H H H H H H H H H H H H H H H H H H H	S			AMPLE		4
	Keying Sh CHARACTERISTICS -Standard : Based on MIL-DTL-38999 Series III	own as example Connector dimension Dim Nominal					
2	-Shell Material: Aluminium-Shell Plating: Olive drab Cadmium-Insulator: Thermoplastic-Contacts: Copper Alloy-Seals & Grommet: Silicon Elastomer-Contact Plating: Gold over copper Alloy 0.8μm minimum	A         34.9±0.3           B         19.07+0.1/-0.15           R         32.5Max           S         31.8±0.4           W         2.2+0.9/-0.1           VV THREAD         M15x1-6g		SOURIAU shall not be liable for any due to a use of the Products white the Specifications issued by either of t (professional recommendation Country FR	ch does not comply with the Parties or by a third pa on, technical notice.)	rty Itrol List	2
	-Durability: 500 Mating cycles-Delivered with Souriau contacts and Accessories-Temperature Range: -65°C to +175°C-Salt Spray: 500 hours			6 First Release	/02SN		-
_	-Mass : 20.34 g ± 10%		ISS DATE Designed By: TITLE	Latest modification - by Date: Aluminium	сиятоме Receptacle 8D ser	ies	-
<u> </u>	BASIC SERIES:     8D     7     -     11     W     02     S     N       SHELL TYPE     : Jam nut Receptacle	N ORIENTATION : N	SCALE NA	General linear Tolerances: ±	E This do	/ PROJECT <b>359</b> cument is the property of SOURIAU	1
	SHELL SIZE : 11       PLATING : W = Olive drab Cadmium	CONTACT TYPE : SOCKET(500 Matings) CONTACT LAYOUT : 11-02	FORMAT A3	WWW.SOURIAU.CO SOURIAU 8D711W0	DRG N°	st not be reproduced or nicated without permission SHEET 1/2	-
L	H G F	E	D	C	B	Α	L

Г	D I	m m			
4	Contact Layout		Pane JAM NUT RECEP	ACLE (TYPE 7)	4
	Contacts (Insert arrangement 11-2)         Contact position ID       Contact location (mm)       Y-axis (mm)         A       +.095 (2.41)       +.000 (.00)         B      095 (2.41)       +.000 (.00)         Shell       Arrangement no.       Number of contacts       Size contacts       Service rating       Contact location         11       -2       2       16       I       All		Dim	Nominal	
3			ØC	19.59+0/-0.25 20.96+0.25/-0	3
			due t the Specifi	J shall not be liable for any non-conform o a use of the Products which does not co cations issued by either of the Parties or professional recommendation, technical r	omply with by a third party
N			A 01-10-2016 First Release	FR PN: 8D711W02SN	Not Listed     2
				dification - by	MOD N°
			Designed By:	Date:	CUSTOMER DRAWING
			TITLE	Aluminium Receptac	le 8D series
-			SCALE NA	General linear Tolerances: ±	NPRDS / PROJECT 859 This document is the property of SOURIALL
			SOURIAU W	WW.SOURIAU.COM	SOURIAU it must not be reproduced or communicated without permission
			FORMAT A3	SOURIAU DRG N° 8D711W02SN-C	SHEET 2/2
L	H G	FE		C B	A