ſ	T	۵	П	m	D		0
4	22.6 Max		M Thread	S C C C C C C C C C C C C C C C C C C C			
			Keying S	nown as example			
	CHARACTERISTICS -Standard : Based on MIL-DTL-38 -Shell Material : Stainles -Shell Plating : Passiva -Insulator : Thermo -Contacts : Copper -Seals & Grommet : Silicon	ss Steel ted oplastic		Connector dimension Dim Nominal A 38.1±0.3 B 23.82+0.1/-0 R 32.5Max S 34.9±0.4 W 2.2+0.9/-0. VV THREAD M18x1-6g	1		SOURIAU sha due to a u the Specificatio (profes
▶		o +200°C	inimum		A IS Desi		First Release Latest modifica Dat
	BASIC SERIES: SHELL TYPE : Jam nut Receptacle CONTACT TYPE : Standard Crim SHELL SIZE : 13	e np Contact	13 K 26 A	CONTACT TYPE : PI	RIENTATION : B N(500 Matings)	TITLE GCALE NA OURIAU	
	PLATING : K = Passivated			CONTACT	LATOUT . 15-20	A3	

G F

Н

С

 $\mathbf{\mathbf{n}}$

D

Е

Ū	U	A			
				4	
LAYOUT SHOWN AS EXAMPLE				3	
all not be liable for any non-conformity or damage use of the Products which does not comply with ons issued by either of the Parties or by a third party essional recommendation, technical notice.) <u>Country</u> Jurisdiction & Control List FR Not Listed PN: 8D713K26AB					
ation - by MOD N° te: CUSTOMER DRAWING Stainless Steel Receptacle 8D series					
General linear NPRDS / PROJECT Tolerances: 859 ± This document is the property of SOURIAU N.SOURIAU.COM it must not be reproduced or communicated without permission				1	
SOURIAU DRO 8D713K26AB	G N° B-C	A	SHEET 1/2		
	-				

F	Σ	Q	П	m	D	C		Þ	
	Contact Layout					Panel cutout			
	26			JAM NUT RECEPTACLE (TYPE 7)					
4									4
	2#12 6#22D								
	13-26					<u> </u>		_	
	Ctc X		-		-	<ØC>			
	A 0	3.47							
	B 2.4		_		Г	Dim Nominal			
ယ	C 2.4		-			B 24.26+0/-0.25			3
	E -2.4		-			ØC 25.65+0.25/-0			0
	F -2.4		-						
	1 3.2								
	2 -3.2	25 0							
2						due to a use of the Products with the Specifications issued by either of (professional recommenda) Count FR PN: 8D713	of the Parties or by a third party tion, technical notice.) ry Jurisdiction & Control List Not Listed		2
						First Release			
					ISS DATE Designed By:	Latest modification - by Date:	CUSTOMER DRAW	MOD N°	—
					TITLE	Stainless Ste	eel Receptacle 8D series		
_					SCALE -	General linear Tolerances:	NPRDS / PROJEC 859	T	1
					SOURIAU		COM This document is SOUR it must not be r communicated wit	IAU eproduced or	
					FORMAT	SOURIAU		SHEET	
					A3	8D713K		2/2	
_	Н	G	F	E	D	С	В	A	